

## **PRODUCT CATALOGUE**



### **STRAP WINDERS** SINCE 2014.

Based in Skive, Denmark, DYNELLO® develops and manufactures strap winders and load securing tools for the transport industry.

All our products are proudly manufactured to our high standards and represent our DYNELLO® brand.

With this we guarantee you top quality products.

### Dynello ApS

Rudemøllevej 78A 7800 Skive, Denmark info@dynello.com www.dynello.com

### **PRODUCT** GROUPS

### **Strap Winders**

| DYNELLO® Strap Winder   | 5 |
|-------------------------|---|
| DYNELLO® Accu Winder XL | 7 |
| DYNELLO® fastwinder     | 9 |

### Strap Storage

| DYNELLO₀ Clip, 50 mm, Recycled Plastic, 1 Pcs               | . 11 |
|---|------|
| DYNELLO <sub>®</sub> Clip, 50 mm, Plastic, 8 Pcs            | . 13 |
| DYNELLO <sub>®</sub> Clip, 50 mm, Stainless Steel, 6 Pcs    | . 15 |
| DYNELLO <sub>®</sub> Clip, 35 mm, Stainless Steel, 6 Pcs    | . 17 |
| DYNELLO <sub>®</sub> Clip, 25 mm, Stainless Steel, 6 Pcs    |      |
| DYNELLO® Clip, 25 mm, Stainless Steel, 4 Pcs + Strap Winder | . 21 |

### Bandage Rollers


| DYNELLO⊚ Bandage Roller Drill Bit | NEW |
|-----------------------------------|-----|
|-----------------------------------|-----|

### **Assitive Products**

| DYNELLO <sub>®</sub> Spaceball | 25 |
|--------------------------------|----|
| Lashing Magnet, 50 mm, 2 Pcs   | 27 |
| Lashing Magnet, 35 mm, 2 Pcs   | 27 |
| Lashing Magnet, 25 mm, 2 Pcs   | 27 |

### **Spare Parts**

| Spare Pins 50mm for DYNELLO ${\scriptstyle \circledast}$ fastwinder | <br>8 |
|---|-------|
| Strap Winder for DYNELLO® Clip 25mm                                 | <br>9 |



### DYNELLO® Strap Winder



RS0601



#### **PRODUCT DESCRIPTION**

DYNELLO® Strap Winder is a manual strap winder and is characterised as being both hand-held and portable. The new design is made in two parts; the *crank* and the *handle*. The crank rotates the strap and is made of thick steel to compensate for heavy-forced rotation without breaking. The handle is designed as a single part comprising the shaft to hold the webbing and the strap-steer that guides and steer the webbing during roll-up. The entire construction is made simple and ultra-strong, which ensures a maintenance-free and long-lasting strap winder.

In addition, the innovative two-part design provides improved ergonomics for your wrists during roll-up. The simple design makes it easy to insert the strap and wind it up quickly, without the need for any complicated maneuvers to get started. For storage, the crank has a cut-out so it can be attached to the handle, keeping the two parts together.

Ideal for truck drivers who prefer a simple, long-lasting and effective strap winder. Best for lashing straps from 35 to 50 mm wide, up to 25 m long.

DYNELLO® Strap Winder is a protected product.

#### **TECHNICAL DETAILS**


- Use: 0 to 50 mm wide, up to 25 m long lashing straps
- Material: Galvanised steel
- Packaging: Carton sleeve
- Weight (net): 480 g
- Weight (gross): 500 g

#### ADDITIONAL INFORMATION

Item no. RS0601 EAN 5745000596232 Suggested HS-Code 8205 59 80 00

| Packaging Unit (PU):        | 20                 |
|-----------------------------|--------------------|
| 000                         |                    |
| Type of packaging:          | Outer box          |
| PU weight:                  | 11 kg              |
| PU dim. (L/H/W) in cm:      | 32.0 x 26.0 x 24.0 |
| Product dim. (L/H/W) in cm: | 20.0 x 11.5 x 7.5  |
|                             |                    |





### **30 METER STRAP** IN LESS THAN 20 SECONDS



### DYNELLO® Accu Winder XL



RS0306





#### **PRODUCT DESCRIPTION**

Heavy-duty strap winder in stainless steel for a cordless drill. The construction builds on the original and protected DYNELLO-design, which provides excellent control of the strap. The extra-long base plate can hold up to 30 meter of coiled strap. The strap winder includes the unique strap-steer that guides the lashing strap during roll-up. Use the strap winder with a cordless drill (Ø10 mm shaft).

Ideal for heavy and extra long lashing straps from 0 to 50 mm wide, up to 30 m long.

WARNING! Use only with a cordless drill with max. 400 RPM rotational speed setting and with a variable speed control button. Including instruction manual.

Maintenance instructions: Lubricate/grease regularly the rotating shaft. Note: Cordless drill not included.

#### **TECHNICAL DETAILS**

- Use: 0 to 50 mm wide, up to 30 m long lashing straps
- Size, bit: Ø10 mm
- Pin length: 50 mm
- Material: Aluminium, Stainless Steel
- Packaging: Plastic
- Weight (net): 270 g
- Weight (gross): 380 g

### ADDITIONAL INFORMATION

Item no. RS0306 EAN 5745000596027 Suggested HS-Code 8207 90 99 00 CE certified



| Packaging Unit (PU):        | 10                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 4 kg               |
| PU dim. (L/H/W) in cm:      | 32.0 x 26.0 x 24.0 |
| Product dim. (L/H/W) in cm: | 23.0 x 11.0 x 10.0 |
|                             |                    |





### DYNELLO® fastwinder



RS0302



### PRODUCT DESCRIPTION

Impact-resistant and all-round strap winder for a cordless drill designed for the tradies and truck drivers. Made in the original and protected DYNELLO® design that provides excellent control of the lashing strap during winding. The lightweight strap winder features an integrated maintenance-free bearing in the base plate (the red part), which offers ultra-low friction and handles heavy, wet webbing very well.

A highly versatile strap winder with excellent performance in any environment and at any temperature. Ideal for lashing straps from 0 to 50 mm wide, up to 20 m long.

**WARNING!** Use only with a cordless drill with max. 400 RPM rotational speed setting and with a variable speed control button. Including instruction manual. Self-assembly required.

Note: Cordless drill not included.

### **TECHNICAL DETAILS**

- Use: 0 to 50 mm wide, up to 20 m long lashing straps
- Size, bit: Ø10 mm
- Pin length: 50 mm
- Material: Plastic, Aluminium, Stainless Steel
- Packaging: Cardboard box
- Weight (net): 185 g
- Weight (gross): 250 g

### ADDITIONAL INFORMATION

Item no. RS0302 EAN 5700002183941 Suggested HS-Code 3926 90 97 90 CE certified



| Packaging Unit (PU):        | 20                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 5 kg               |
| PU dim. (L/H/W) in cm:      | 32.0 x 26.0 x 24.0 |
| Product dim. (L/H/W) in cm: | 6.0 x 21.0 x 6.0   |
|                             |                    |



NEW Product 2024

> Made of recycled end-of-life marine waste, including fishing nets, ropes and trawls.







### PRODUCT DESCRIPTION

Simple and robust strap clamp for 5t lashing straps (50 mm wide) made from 98% recycled end-of-life marine waste, including fishing nets, ropes and trawls. Achieve a tidy and space saving storage of your 50 mm lashing straps with DYNELLO® Clip. The unique strap clamp design easily and quickly attaches to the coiled lashing strap and prevents it from unwinding during storage.

An indispensable product that will save you tons of time unravelling twisted and tangled straps.

Suitable for 50 mm wide straps.

DYNELLO® Clip is a protected product

#### **TECHNICAL DETAILS**

- Fits: 50 mm wide straps
- Material: Recycled plastic
- Use, temperature: -20 °C to +40 °C
- Weight / pcs (gross): 50 g

### ADDITIONAL INFORMATION

Item no. RS0201-1GN EAN 5745000596140 Suggested HS-Code 3926 90 97 90

| Packaging Unit (PU):        | 200                |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 10 kg              |
| PU dim. (L/H/W) in cm:      | 56.0 x 31.0 x 36.0 |
| Product dim. (L/H/W) in cm: | 12.7 x 6.6 x 4.0   |
|                             |                    |





### THE ORIGINAL STRAP CLAMP



### DYNELLO<sub>®</sub> Clip 50 mm, Plastic, 8 Pcs



RS0201-8



#### **PRODUCT DESCRIPTION**

Simple and robust strap clamp for 5t lashing straps (50 mm wide) made in an UV-resistant and durable polymer. Achieve a tidy and space saving storage of your 50 mm lashing straps with DYNELLO® Clip. The unique strap clamp design easily and quickly attaches to the coiled lashing strap and prevents it from unwinding during storage. Made from a new and improved polymer that can be used repeatedly without wearing.

An indispensable product that will save you tons of time unravelling twisted and tangled straps.

Suitable for 50 mm wide straps.

Included 8 pcs / box.

DYNELLO® Clip is a protected product

#### **TECHNICAL DETAILS**


- Fits: 50 mm wide straps
- Material: Plastic
- Use, temperature: -20 °C to +40 °C
- Packaging: Carton box
- Weight (net): 410 g
- Weight (gross): 440 g


### ADDITIONAL INFORMATION

Item no. RS0201-8 EAN 5700002038951 Suggested HS-Code 3926 90 97 90

| 20                 |
|--------------------|
| Outer box          |
| 10 kg              |
| 56.0 x 31.0 x 36.0 |
| 12.8 x 24.7 x 4.0  |
|                    |









RS0205-6



#### **PRODUCT DESCRIPTION**

Ultra-robust strap clamp for 5t lashing straps (50 mm wide) made in stainless steel. Achieve a tidy and space-saving storage of your straps with the DYNELLO® Clip. The strap clip is easily attached to the coiled lashing strap, preventing it from unwinding. The strap clamp is made of corrosion-resistant AISI 304 steel, unbreakable quality, thus a product you can use for years without wear and tear.

Save hours of unravelling tangled lashing straps with the DYNELLO® Clip. Suitable for 50 mm wide straps.

Included 6 pcs / box.

DYNELLO® Clip is a protected product

#### **TECHNICAL DETAILS**

- Fits: 50 mm wide straps
- Material: Stainless steel
- Packaging: Carton box
- Weight (net): 460 g
- Weight (gross): 480 g

### ADDITIONAL INFORMATION


Item no. RS0205-6 EAN 5745000596195 Suggested HS-Code 7326 90 98 90

| Packaging Unit (PU):        | 20                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 10 kg              |
| PU dim. (L/H/W) in cm:      | 35.0 x 24.0 x 20.0 |
| Product dim. (L/H/W) in cm: | 9.3 x 17.2 x 3.5   |
|                             |                    |











RS0203-6



#### **PRODUCT DESCRIPTION**

Ultra-robust strap clamp for 2/3t lashing straps (35 mm wide) made in stainless steel. Achieve a tidy and space-saving storage of your straps with the DYNELLO® Clip. The strap clip is easily attached to the coiled lashing strap, preventing it from unwinding. The strap clamp is made of corrosion-resistant AISI 304 steel, unbreakable quality, thus a product you can use for years without wear and tear.

Save hours of unravelling tangled lashing straps with the DYNELLO® Clip. Suitable for 35 mm wide straps.

Included 6 pcs / box.

DYNELLO® Clip is a protected product

#### **TECHNICAL DETAILS**

- Fits: 35 mm wide straps
- Material: Stainless steel
- Packaging: Carton box
- Weight (net): 230 g
- Weight (gross): 245 g

### ADDITIONAL INFORMATION

Item no. RS0203-6 EAN 5700002183989 Suggested HS-Code 7326 90 98 90

| Packaging Unit (PU):        | 20                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 6 kg               |
| PU dim. (L/H/W) in cm:      | 35.0 x 24.0 x 20.0 |
| Product dim. (L/H/W) in cm: | 7.8 x 13.0 x 3.5   |
|                             |                    |





### DYNELLO<sub>®</sub> Clip 25 mm, Stainless Steel, 6 Pcs



RS0204-6





### **PRODUCT DESCRIPTION**

Ultra-robust strap clamp for 500kg/800kg lashing straps (25 mm wide) made in stainless steel. Achieve a tidy and space-saving storage of your straps with the DYNELLO® Clip. The strap clip is easily attached to the coiled lashing strap, preventing it from unwinding. The strap clamp is made of corrosion-resistant AISI 304 steel, unbreakable quality, thus a product you can use for years without wear and tear.

Save hours of unravelling tangled lashing straps with the DYNELLO® Clip. Suitable for 25 mm wide straps.

Included 6 pcs / box.

DYNELLO® Clip is a protected product

#### **TECHNICAL DETAILS**


- Fits: 25 mm wide straps
- Material: Stainless steel
- Packaging: Carton box
- Weight (net): 120 g
- Weight (gross): 135 g

### ADDITIONAL INFORMATION

Item no. RS0204-6 EAN 5700002183965 Suggested HS-Code 8487 90 57 90

| Packaging Unit (PU):        | 20                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 3 kg               |
| PU dim. (L/H/W) in cm:      | 26.0 x 16.0 x 16.0 |
| Product dim. (L/H/W) in cm: | 5.6 x 10.2 x 2.5   |
|                             |                    |







### 21

### DYNELLO<sub>®</sub> Clip 25 mm, 4 Pcs + Strap Winder

RS0207-4-0311

### PRODUCT DESCRIPTION

### New upgraded version of DYNELLO® Clip 25 mm - Now with an integrated strap winder!

Roll-up your 25 mm wide straps directly into the DYNELLO® Clip using the integrated strap winder. The new DYNELLO® Clip 25 mm features an innovative strap winder and strap clamp combined in one product.

Ideal for small lashing straps 25 mm wide, up to 8 m long.

Included 4 pcs DYNELLO® Clip 25 mm + 1 pcs strap winder / box.

### **TECHNICAL DETAILS**


- Use: 25 mm wide, up to 8 m long lashing straps
- Material: Stainless steel, Plastic
- Packaging: Carton box
- Weight (net): 120 g
- Weight (gross): 135 g


### ADDITIONAL INFORMATION

Item no. RS0207-4-0311 EAN 5745000596287 Suggested HS-Code 7326 90 98 90

| Packaging Unit (PU):        | 20                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 3 kg               |
| PU dim. (L/H/W) in cm:      | 26.0 x 16.0 x 16.0 |
| Product dim. (L/H/W) in cm: | 7.0 x 10.0 x 2.7   |
|                             |                    |













### DYNELLO<sub>®</sub> Bandage Roller Drill Bit



RS0305



### PRODUCT DESCRIPTION

Nifty and afforable bandage roller drill bit for quick bandage winding. Fits a small drill with its 1/4" hex shank. Tighten and steer the bandage with your free hand.

Use the bandage roller for: horse bandages, sport wraps and elastic bandages. Ideal for bandage widths of up to 120 mm.

It is recommended to use the bandage roller with a small 3.6V cordless drill max. 250 RPM including a variable speed switch.

Note: Cordless drill not included.

### TECHNICAL DETAILS

- Use: 0 to 120 mm wide bandages
- Bit type: 1/4" hex shank
- Material: Plastic
- Packaging: Plastic
- Weight (net): 20 g
- Weight (gross): 25 g

### ADDITIONAL INFORMATION

Item no. RS0305 EAN 5745000596010 Suggested HS-Code 8207 90 99 00

| Packaging Unit (PU):        | 50                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 1.5 kg             |
| PU dim. (L/H/W) in cm:      | 26.0 x 16.0 x 16.0 |
| Product dim. (L/H/W) in cm: | 10.0 x 1.5 x 5.0   |





### DYNELLO® Spaceball



RS0402



### **PRODUCT DESCRIPTION**

DYNELLO® Spaceball is for those who have difficulty throwing heavy lashings. Whether it is over tall trucks, in windy conditions or through tight spaces. With DYNELLO® Spaceball you can throw accurately and minimise the stress on your shoulder/back when throwing, due to the low weight of just 225g.

Simply throw the spaceball and pull the lashing strap over the load. Attach the carabiner in the lashing strap-hook.

Bonus! It is also an effective tool to get the straps over the truck load in very windy weather.

### TECHNICAL DETAILS

- Material: Natural rubber
- Packaging: Carton box
- Weight (blue ball): 225 g
- Weight (net): 410 g
- Weight (gross): 430 g

### ADDITIONAL INFORMATION

Item no. RS0402 EAN 5700002183958 Suggested HS-Code 4016 99 97 90

| Packaging Unit (PU):        | 10                 |
|-----------------------------|--------------------|
| Type of packaging:          | Outer box          |
| PU weight:                  | 5 kg               |
| PU dim. (L/H/W) in cm:      | 32.0 x 26.0 x 24.0 |
| Product dim. (L/H/W) in cm: | 9.0 x 9.0 x 9.0    |
|                             |                    |









### Lashing Magnet 50 mm, 2 Pcs

24000003120



### PRODUCT DESCRIPTION

Magnet for strap hook. Fits type J-hook, 50mm wide straps. Included 2 pcs.

### TECHNICAL DETAILS

- Material: Plastic, Neodymium
- Packaging: Carton, plastic
- Weight (gross): 80 g

### ADDITIONAL INFORMATION

Item no. 240000003120 UPC/EAN 810029420259 Suggested HS-Code 8505 11 10 99

### Lashing Magnet 35 mm, 2 Pcs

### COMING SOON



### PRODUCT DESCRIPTION

Magnet for strap hook. Fits type J-hook, 35mm wide straps. Included 2  $\ensuremath{\mathsf{pcs}}$  .

### TECHNICAL DETAILS

- Material: Plastic, Neodymium
- Packaging: Carton, plastic
- Weight (gross): -

### ADDITIONAL INFORMATION

Item no. -UPC/EAN -Suggested HS-Code 8505 11 10 99

### Lashing Magnet 25 mm, 2 Pcs

542500003120



### PRODUCT DESCRIPTION

Magnet for strap hook. Fits type J-hook, 25mm wide straps. Included 2 pcs.

### TECHNICAL DETAILS

- Material: Plastic, Neodymium
- Packaging: Carton, plastic
- Weight (gross): 15 g

### ADDITIONAL INFORMATION

Item no. 542500003120 UPC/EAN 810029421591 Suggested HS-Code 8505 11 10 99

| Packaging Unit (PU):        | Order qty.       |
|-----------------------------|------------------|
| Type of packaging:          | Outer box        |
| PU weight:                  | n/a              |
| PU dim. (L/H/W) in cm:      | n/a              |
| Product dim. (L/H/W) in cm: | 16.0 x 8.0 x 3.0 |
|                             |                  |
|                             |                  |
|                             |                  |
|                             |                  |
|                             |                  |






# Spare Pins 50mm for DYNELLO® fastwinder



RS0302-311



### **PRODUCT DESCRIPTION**

Spare pins set including nuts and spacer block for DYNELLO® fastwinder.

### TECHNICAL DETAILS

- Pin length: 50 mm
- Packaging: Plastic
- Weight (gross): 100 g

### ADDITIONAL INFORMATION

Item no. RS0302-311 EAN 5745000596096 Suggested HS-Code 7318 19 00 90

| Packaging Unit (PU):        | Order qty.      |
|-----------------------------|-----------------|
| Type of packaging:          | Outer box       |
| PU weight:                  | n/a             |
| PU dim. (L/H/W) in cm:      | n/a             |
| Product dim. (L/H/W) in cm: | 5.0 x 0.6 x 3.0 |
|                             |                 |




### Strap Winder for DYNELLO<sub>®</sub> Clip 25mm

RS0311







### PRODUCT DESCRIPTION

Spare strap winder for DYNELLO® Clip 25 mm (item no.: RS0207).

### **TECHNICAL DETAILS**

- Bit type: 1/4" hex shank
- Material: Plastic
- Packaging: none
- Weight (gross): 6 g

### ADDITIONAL INFORMATION

Item no. RS0311 EAN 5745000596133 Suggested HS-Code 3926 90 97 90

| Packaging Unit (PU):        | Order qty.      |  |
|-----------------------------|-----------------|--|
| Type of packaging:          | Outer box       |  |
| PU weight:                  | n/a             |  |
| PU dim. (L/H/W) in cm:      | n/a             |  |
| Product dim. (L/H/W) in cm: | 3.8 x 2.6 x 2.6 |  |
| 5 745000 596133             |                 |  |

Your DYNELLO® dealer:

Errors and omissions excepted. Technical modifications reserved. 01.2024



**ORIGINAL STRAP WINDERS SINCE 2014** 

dynello.com